

# Western Australian natives susceptible to *Phytophthora cinnamomi*.

Compiled by E. Groves, G. Hardy & J. McComb, Murdoch University

Information used to determine resistance to *P. cinnamomi* : 1a- field observations, 1b- field observation and recovery of *P.cinnamomi*; 2a- glasshouse inoculation of *P. cinnamomi* and recovery, 2b- field inoculation with *P. cinnamomi* and recovery. Not Provided- no information was provided from the reference.

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Acacia campylophylla</i> Benth.		1b			15
<i>Acacia myrtifolia</i> (Sm.) Willd.		1b		A	9
<i>Acacia stenoptera</i> Benth.	Narrow Winged Wattle	1b			16
<i>Actinostrobus pyramidalis</i> Miq.	Swamp Cypress	2a			17
<i>Adenanthos barbiger</i> Lindl.		1a		A	1, 13, 16
<i>Adenanthos cumminghamii</i> Meisn.	Albany Woolly Bush	NP		A	4, 8
<i>Adenanthos cuneatus</i> Labill.	Coastal Jugflower	1a		A	1, 6
<i>Adenanthos cygnorum</i> Diels.	Common Woolly Bush	2			1, 7
<i>Adenanthos detmoldii</i> F. Muell.	Scott River Jugflower	1a			1
<i>Adenanthos dobagii</i> E.C. Nelson	Fitzgerald Jugflower	NP	R		4,8
<i>Adenanthos ellipticus</i> A.S. George	Oval Leafed Adenanthos	NP			8
<i>Adenanthos filifolius</i> Benth.		1a			19
<i>Adenanthos ileticos</i> E.C. George	Club Leafed Adenanthos	NP			8
<i>Adenanthos meisneri</i> Lehm.		1a		A	1
<i>Adenanthos obovatus</i> Labill.	Basket Flower	1b		A	1, 7 14,16
<i>Adenanthos oreophilus</i> E.C. Nelson		1a			19
<i>Adenanthos pungens</i> ssp. <i>effusus</i>	Spiky Adenanthos	NP	R		4
<i>Adenanthos pungens</i> ssp. <i>pungens</i>		NP	R		4
<i>Adenanthos sericeus</i> Labill.	Woolly Bush	1a		A	1
<i>Agonis linearifolia</i> (DC.) Sweet	Swamp Peppermint	1b			6
<i>Taxandria linearifolia</i> (DC.) J.R Wheeler & N.G Merchant					
<i>Agrostocrinum scabrum</i> (R.Br) Baill.	Bluegrass	1			12
<i>Allocasuarina fraseriana</i> (Miq.) L.A.S. Johnson	Sheoak	1b		A	1, 6, 14
<i>Allocasuarina humilis</i> (Otto & F. Dietr.) L.A.S. Johnson	Dwarf Sheoak	1a		A	1, 7 14
<i>Allocasuraina thuyoides</i> (Miq.) L.A.S. Johnson	Horned Sheoak	1a			19
<i>Andersonia axilliflora</i> (Stschegl) Druce	Giant Andersonia	NP	R		4
<i>Andersonia caerulea</i> R.Br.	Foxtails	1a			1, 6
<i>Andersonia heterophylla</i> Sond.		2			1, 7
<i>Andersonia lehmanniana</i> Sond.		1a			1, 7
<i>Andersonia pinaster</i> Lemson.		1a	R		20
<i>Andersonia simplex</i> (Stschegl.) Druce	Spiked Andersonia	1b			6
<i>Aotus passerinoides</i> Meisn.		1a			14, 17
<i>Astroloma cilatum</i> (Lindl.) Druce	Candle Cranberry	1b			3
<i>Astroloma xerophyllum</i> (DC.) Sond.		2			1, 7, 18
<i>Banksia aculeata</i> A.S George		1a			20
<i>Banksia ashbyi</i> Baker.	Ashby's Banksia	1b, 2a		A	2
<i>Banksia attenuata</i> R.Br	Slender Banksia	1b, 2b		A	1, 11, 14, 16
<i>Banksia audax</i> C.A. Gardner		2a			11
<i>Banksia baueri</i> R.Br	Woolly Banksia	1b, 2a		A	1, 2, 11
<i>Banksia baxteri</i> R.Br	Baxter's Banksia	1b		A	1, 2, 11
<i>Banksia brownii</i> R.Br	Feather leaved Banksia	2a	R		4, 2, 8, 11
<i>Banksia burdettii</i> Baker f.	Burdett's Banksia	2a		A	2, 11
<i>Banksia caleyi</i> R.Br.	Cayley's Banksia	2a		A	2, 11
<i>Banksia candolleana</i> Meisn.	Propeller Banksia	2a			2, 11
<i>Banksia coccinea</i> R.Br.	Scarlet Banksia	2a		A	1, 2, 11
<i>Banksia cuneata</i> A.S. George	Quairading Banksia	2a	R		8, 11

# Western Australian natives susceptible to *Phytophthora cinnamomi* (continued)

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Banksia dryandroides</i> Sweet	Dryandra-leaved Banksia	2a			11
<i>Banksia elderiana</i> F. Muell. & Tate	Swordfish Banksia	2a			11
<i>Banksia gardneri</i> A.S. George		2a			11
<i>Banksia gardneri var brevidentata</i> A.S. George		1a			20
<i>Banksia gardneri var gardneri</i> A.S. George		1a			20
<i>Banksia goodii</i> R.Br	Good's Banksia	NP	R		4, 8
<i>Banksia grandis</i> Willd.	Bull Banksia	2a		A	1, 2, 11, 14, 15
<i>Banksia hookeriana</i> Meisn.	Hooker's Banksia	2a		A	2, 11
<i>Banksia ilicifolia</i> R.Br.	Holly-leaved Banksia	1b			1, 14, 16
<i>Banksia laevigata</i> Meisn.	Tennisball Banksia	2a			11
<i>Banksia larinina</i> C.A. Gardner	Rose Banksia	2a			2, 11
<i>Banksia lemmaniana</i> Meisn.	Lemann's Banksia	2a		A	11
<i>Banksia lindleyana</i> Meisn.	Porcupine Banksia	2a			2, 11
<i>Banksia littoralis</i> R.Br.	Swamp Banksia	2a		A	1, 11, 14
<i>Banksia lullfitzii</i> C.A. Gardner		2a			11
<i>Banksia media</i> R.Br.	Southern Plains Banksia	2a		A	1, 11
<i>Banksia menziesii</i> R.Br.	Firewood Banksia	1b, 2a		A	1, 2, 11, 14, 16
<i>Banksia micrantha</i> A.S. George		1a			20
<i>Banksia nutans</i> R.Br.	Nodding Banksia	1a, 2a			1, 2, 11
<i>Banksia occidentalis</i> R.Br.	Red Swamp Banksia	1a, 2a		A	1, 2, 11, 20
<i>Banksia oligantha</i> A.S. George	Wagin Banksia	NP	R		4, 8
<i>Banksia oreophila</i> A.S. George	Mountain Banksia	1a			20
<i>Banksia petiolaris</i> F. Muell.		2b		A	11
<i>Banksia pilostylis</i> C.A. Gardner		2b		A	11
<i>Banksia praemorsa</i> Andrews	Cut-leaf Banksia	2a		A	1, 11
<i>Banksia prionotes</i> Lindl.	Acorn Banksia	1b, 2a		A	1, 2, 11
<i>Banksia pulchella</i> R.Br.		2a			11
<i>Banksia quercifolia</i> R.Br.	Oak-leaved banksia	1a			1, 6
<i>Banksia repens</i> Labill.	Creeping Banksia	2b		A	11
<i>Banksia seminuda</i> (A.S. George) Rye	River Banksia	1a		A	1
<i>Banksia speciosa</i> R.Br.	Showy Banksia	1b, 2a		A	1, 2, 11
<i>Banksia sphaerocarpa</i> R.Br.	Round- fruit Banksia	1b, 2a			1, 2, 11
<i>Banksia telmatiaea</i> A.S. George	Swamp fox Banksia	2			1, 7
<i>Banksia tricuspis</i> Meisn.	Pine Banksia	NP			8
<i>Banksia verticillata</i> R.Br.	Albany Banksia	2a	R		8, 11
<i>Banksia victoriae</i> Meisn.	Woolly Orange Banksia	2b		A	11
<i>Beaufortia anisandra</i> Schauer		1b			6
<i>Beaufortia micrantha</i> Schauer	Little Bottlebrush	1a		A	20
<i>Boronia fastigiata</i> Bartl.	Bushy Boronia	1			13
<i>Boronia revoluta</i> Paul G. Wilson	Ironcaps Boronia	NP	R		4
<i>Bossiaea eriocarpa</i> Benth.	Common Brown Pea	1b		A	6, 16
<i>Bossiaea ornata</i> (Lindl.) Benth.	Broad leaf Brown Pea	1b			1, 3
<i>Brachysema papilio</i> Crisp.		NP	R		4
<i>Calothamnus villosus</i> R.Br.		1a			7
<i>Chamelaucium erythrochlora</i> N.G. Marchant & Keighery		NP	R		8
<i>Chamelaucium griffinii</i> N.G. Marchant & Keighery		NP	R		8
<i>Chamelaucium roycei</i> N.G. Marchant & Keighery		NP	R		8
<i>Conospermum stoechadis</i> Endl.	Common Smokebush	1a		A	1, 7
<i>Conospermum toddii</i> F.Muell.	Victorian Desert Smokebush	NP			8
<i>Conospermum triplinervium</i> R.Br.	Tree Smokebush	2b		A	7
<i>Conostephium pendulum</i> Benth.	Pearl flower	1b			1, 16
<i>Crowea angustifolia</i> Sm.	Crowea	NP			1
<i>Dampiera alata</i> Lindl.	Winged-stem Dampiera	1a			7

# Western Australian natives susceptible to *Phytophthora cinnamomi* (continued)

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Darwinia collina</i> C.A.	Gardner Yellow Mountain Bell	NP	R	A	4, 8
<i>Darwinia macrostegia</i> (Turcz) Benth.	Mondorup Bell	NP	R	A	4
<i>Darwinia meeboldii</i> C.A.	Gardner Cranbrook Bell	NP	R		4, 8
<i>Darwinia oxylepis</i> N.G. Marchant & Keighery	Gillam's Bell	1a	R	A	1, 8
<i>Darwinia squarrosa</i> (Turcz) Domin.	Pink Mountain Bell	1a	R		1, 9
<i>Darwinia wittwerorum</i> N.G. Marchant & Keighery		1a	R		1, 11
<i>Dasypogon bromeliifolius</i> R.Br.	Pineapple Bush	1b			1, 7, 16
<i>Daviesia decurrens</i> Meisn.	Prickly Bitter-Pea	1b		A	15, 13
<i>Daviesia incrassata</i> Sm.		1a			7
<i>Daviesia inflata</i> Crisp.		1a			19
<i>Daviesia megacalyx</i> Crisp.		NP	R		4
<i>Daviesia physodes</i> G.Don.		NP			19
<i>Daviesia preissii</i> Meisn.					
<i>Daviesia pseudaphylla</i> Crisp.		NP	R		4
<i>Daviesia rhombifolia</i> Meisn.		1b			15
<i>Dianella revoluta</i> R.Br.	Blueberry Lily	1b		A	15
<i>Dryandra falcata</i> R.Br.	Prickly Dryandra	1a			20
<i>Dryandra plumosa</i> R.Br.		1a			20
<i>Dryandra pteridifolia</i> R.Br.	Tangled Honeypot	1a			20
<i>Dryandra anatona</i> A.S. George		NP	R		4
<i>Dryandra arctotidis</i> R.Br.		1a			1, 20
<i>Dryandra armata</i> R.Br.	Prickly Dryandra	1a			1
<i>Dryandra bipinnatifida</i> R.Br.		1a			1
<i>Dryandra cirsioides</i> Meisn.		1a			20
<i>Dryandra formosa</i> R.Br.	Showy Dryandra	1b		A	1, 6
<i>Dryandra ionthocarpa</i> A.S. George		1a	R		20
<i>Dryandra lindleyana</i> Mesin.		1a		A	1
<i>Dryandra mimica</i> A.S. George	Summer Honeypot	NP			8
<i>Dryandra montana</i> A.S. George		NP	R		4
<i>Dryandra mucronulata</i> R.Br.	Swordfish Dryandra	1a			20
<i>Dryandra nivea</i> (Labill.) R.Br.	Couch Honeypot	1a			1, 7, 14
<i>Dryandra pteridifolia</i> R.Br.	Tangled Honepot	1a			1
<i>Dryandra plumosa</i> R.Br.		1a			20
<i>Dryandra quercifolia</i> Meisn.	Oakleafed Dryandra	1a			20
<i>Dryandra seneciifolia</i> R.Br.		1a			1
<i>Dryandra serra</i> R.Br.	Serrate-leaved Dryandra	1a			1
<i>Dryandra serratuloides</i> Meisn.		NP			4, 8
<i>Dryandra serratuloides</i> Meisn. ssp. <i>Perissa</i> A.S George		NP	R		4, 11
<i>Dryandra sessilis</i> (Knight) Domin.	Parrot Bush	1		A	1, 13
<i>Dryandra squarrosa</i> R.Br.	Pringle	1a			1
<i>Dryandra squarrosa</i> R. Br. ssp. <i>argillacea</i> A.S. George		NP	R		4
<i>Dryandra tenuifolia</i> R.Br.		1a			20
<i>Eucalyptus marginata</i> Sm.	Jarrah	2b		A	1, 14
<i>Eucalyptus todtiana</i> F. Muell.	Coastal Blackbutt	2a		A	7, 14
<i>Evandra aristata</i> R.Br		1a			1
<i>Gompholobium polymorphum</i> R. Br.		2a			13
<i>Grevillea calliantha</i> Makinson & Olde		NP	R		8
<i>Grevillea cirsiifolia</i> Meisn.	Varied-leaf Grevillea	NP			8
<i>Grevillea crithmifolia</i> R.Br.		1b		A	Shivas
<i>Grevillea saccata</i> Benth.	Pouched Grevillea	NP		A	8
<i>Grevillea tripartita</i> Meisn.		1a			20
<i>Hakea ambigua</i> Meisn.		1a			20
<i>Hakea baxteri</i> R. Br	Fan Hakea	1a			1
<i>Hakea cucullata</i> R. Br.	Hood leaved Hakea	1a			1

# Western Australian natives susceptible to *Phytophthora cinnamomi* (continued)

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Hakea flabellifolia</i> Meisn.	Fan-leaved Hakea	NP			19
<i>Hakea lehmanniana</i> Meisn.	Blue Hakea	1a			20
<i>Hakea marginata</i> R.Br.		1a			20
<i>Hakea oleifolia</i> (Sm.) R. Br.		1a			1
<i>Hakea pandanica</i> ssp. <i>crassifolia</i> (Meisn.) R.M. Baker		1a			1, 20
<i>Hakea prostrata</i> R. Br.	Harsh Hakea	1a		A	1
<i>Hakea trifurcata</i> (Sm.)R.Br	Two-leaf Hakea	1a		A	1
<i>Hakea undulata</i> R.Br.	Wavy-leaved Hakea	1a			1, 20
<i>Hibbertia acerosa</i> (DC.) Benth.	Needle leaved Guinea Flower	1b			3
<i>Hibbertia amplexicaulis</i> Steud.		1b			15, 13, 3
<i>Hibbertia commutata</i> Steud.		1			13
<i>Hibbertia desmophylla</i> (Benth.) F. Muell.		1b			6
<i>Hibbertia furfuracea</i> (DC.) Benth.		NP			19
<i>Hibbertia huegelli</i> (Endl.) F. Muell.		2a			13
<i>Hibbertia hypercoides</i> (DC) Benth.		1b		A	1, 7, 16
<i>Hibbertia inconspicua</i> Steud.		1a			1
<i>Hibbertia lineata</i> Steud.		1b			15
<i>Hibbertia montana</i> Steud.		1b			3, 15
<i>Hibbertia montana</i> var <i>major</i> Steud.		1b			3
<i>Hibbertia quadricolor</i> Domin.		1b			13, 15
<i>Hibbertia rhadinopoda</i> Domin.		2a			12
<i>Hibbertia stellaris</i> Endl.		1b		A	13
<i>Hovea elliptica</i> (Sm.) D.C..	Tree Hovea	1b		A	17
<i>Hovea pungens</i> Benth.	Devil's Pins	2a			14
<i>Hybanthus floribundus</i> (Lindl.) F. Muell.		2a			12
<i>Hypocalymma robustum</i> (Endl.) Lindl.	Swan River Myrtle	1b		A	1, 7, 15
<i>Hypocalymma strictum</i> Schauer		1a		A	20
<i>Isopogon attenuatus</i> R.Br.		2b			17
<i>Isopogon axillaris</i> R.Br.		1a			1
<i>Isopogon baxteri</i> R.Br.	Stirling Range Coneflower	1a			20
<i>Isopogon buxifolius</i> R.Br. var <i>obovatus</i> Benth.		1a			20
<i>Isopogon formosus</i> R.Br.	Rose Coneflower	1b		A	1
<i>Isopogon sphaerocephalus</i> Lindl.	Drumstick Isopogon	1b			1, 3, 15
<i>Isopogon teretifolius</i> R.Br. var <i>petrophiloides</i> .(R.Br) D. Foreman		1a			20
<i>Isopogon trilobus</i> R.Br.	Barrel Coneflower	1a			20
<i>Isopogon uncinatus</i> R. Br.		NP	R		4, 8
<i>Jacksonia floribunda</i> Endl.	Holly Pea	1a			1, 7, 17
<i>Jacksonia furcellata</i> (Bonpl.) D.C.		1b		A	16
<i>Jacksonia horrida</i> D.C.		1a			1
<i>Jacksonia spinosa</i> (Labill.) R.Br.		1b			6
<i>Jacksonia sternbergiana</i> Huegl.	Stinkwood	1b			16
<i>Kunzea ericifolia</i> (Sm). Heynh.	Spearwood	1b		A	16
<i>Kunzea sulphurea</i> Torey & P. Morris		1a			1
<i>Labichea punctata</i> Benth.	Lance-leaved Bassia	1a			12
<i>Lambertia ericifolia</i> R.Br.	Heath-leaved Honeysuckle	1a			20
<i>Lambertia echinata</i> ssp. <i>echinata</i> R.Br.		1a	R		4, 1, 8
<i>Lambertia echinata</i> ssp. <i>occidentalis</i> Keighery		NP	R		4
<i>Lambertia fairallii</i> Keighery	Fairall's Honeysuckle	NP	R		4, 8
<i>Lambertia inermis</i> R.Br.	Chittick	1a			19
<i>Lambertia multiflora</i> Lindl.	Many-Flowered Honeysuckle	NP			19
<i>Lambertia orbifolia</i> CA	Gardner Round-leaved Honeysuckle	NP	R		4, 8
<i>Lambertia uniflora</i> R.Br.		1a			20

# Western Australian natives susceptible to *Phytophthora cinnamomi* (continued)

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Lasiopetalum floribundum</i> Benth.	Free Flowering Lasiopetalum	1b			3, 14, 15
<i>Latrobea genistoides</i> (Meisn.) Meisn.		1b			6
<i>Latrobea hirtella</i> (Turcz) Benth.		1b			6
<i>Leucopogon australis</i> R.Br.	Spiked Beard-Heath	1a			1, 7, 14
<i>Leucopogon capitellatus</i> D.C.		1b			1, 3, 7, 13, 15
<i>Leucopogon concinnus</i> Benth.		1a			1
<i>Leucopogon conostephioides</i> D.C.		1b			1, 16
<i>Leucopogon cymbiformis</i> D.C.		1a			20
<i>Leucopogon distans</i> R.Br.		1a			20
<i>Leucopogon distans</i> R.Br. ssp. <i>contractus</i> (Benth) J.M. Powell		1a			20
<i>Leucopogon elegens</i> Sond.		1b			6
<i>Leucopogon flavescens</i> Sond.		1a			1, 6
<i>Leucopogon gibbosus</i> Stschehl		1a			20
<i>Leucopogon gracillimus</i> D.C.		1a			1
<i>Leucopogon nutans</i> E. Pritzel.		1b			1, 15, 13
<i>Leucopogon obtectus</i> Benth.	Hidden Beard-Heath	NP	R		8
<i>Leucopogon oxycedrus</i> Sond.		1b			3
<i>Leucopogon parviflorus</i> Sond.		1a			1
<i>Leucopogon polymorphus</i> Sond.		2b			7, 14
<i>Leucopogon propinquus</i> R.Br.		1b			1, 3, 7, 15
<i>Leucopogon pulchellus</i> Sond.		2b			17
<i>Leucopogon revolutus</i> R.Br.		1a			1
<i>Leucopogon verticillatus</i> R.Br.		1b			1, 3, 15
<i>Lomandra odora</i> (Endl.) Ewart.	Tiered Matrush	1a			1
<i>Lomandra sonderi</i> (F. Muell.) Ewart.	Ewart.	1b			1, 3, 13, 13
<i>Loxocarya cinerea</i> R.Br.		1			13
<i>Lysinema conspicuum</i> R.Br.		1a			20
<i>Lysinema cillatum</i> R.Br.	Curry Flower	2b			7
<i>Macrozamia riedlei</i> (Gaudich) C.A. Gardner	Zamia	1b		A	1, 14, 16
<i>Melaleuca scabra</i> R.Br.	Rough Honeymyrtle	2		A	1, 7
<i>Melaleuca subfalcata</i> Turcz.		1a			20
<i>Melaleuca thymoides</i> Labill.		1b		A	16
<i>Monotoca tamariscina</i> F. Muell.		1a			1
<i>Nemcia pulchella</i> (Turcz) Crisp.		1a			1
<i>Opercularia vaginata</i> Juss.	Dogweed	1			13
<i>Patersonia babianoides</i> Benth.		1			13
<i>Patersonia rudis</i> Endl.	Hairy Flag	1a			1
<i>Patersonia umbrosa</i> Endl.	Yellow Flags	1a			1
<i>Pattersonia occidentalis</i> R.Br.	Purple Flags	1b		A	1, 7, 14, 15
<i>Pericalymma ellipticum</i> (Endl.) Schauer	Swamp Teatree	2a		A	7, 14
<i>Persoonia elliptica</i> R.Br.	Spreading Snottygobble	1a			1
<i>Persoonia longifolia</i> R.Br.	Snottygobble	1b			1, 13, 14, 17
<i>Petrophile biloba</i> R.Br.	Granite Petrophile	2a			14
<i>Petrophile divaricata</i> R.Br.		1a			20
<i>Petrophile diversifolia</i> R.Br.		1a			1
<i>Petrophile drummondii</i> Meisn.		1a			7
<i>Petrophile ericifolia</i> R.Br.		1a			20
<i>Petrophile linearis</i> R.Br.	Pixie Mops	1b			1, 7, 16
<i>Petrophile longifolia</i> R.Br.	Long Leaved Conebush	1a			20
<i>Petrophile media</i> R.Br.		1a			20
<i>Petrophile seminuda</i> Lindl.		1a			20
<i>Petrophile serruriae</i> R.Br.		1a			1
<i>Petrophile squamata</i> R.Br.		1a			1
<i>Petrophile stricta</i> Foreman		1a			7
<i>Pimelea suaveolens</i> Meisn.	Scented Banjine	1b			13, 15
<i>Platysace compressa</i> (Labill.) Norman	Tapeworn Plant	1a			13, 17
<i>Podocarpus drouynianus</i> F. Muell.	Wild Plum	1b		A	1, 14

# Western Australian natives susceptible to *Phytophthora cinnamomi* (continued)

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES	NURSERY AVAILABILITY	REFERENCES
<i>Scaevola calliptera</i> Benth.	Grey Scaevola	1		A	12
<i>Scholtzia involucrata</i> (Endl.) Druce.	Spiked Scholtzia	1a			1
<i>Sphenotoma dracophylloides</i> Sond.		1a			20
<i>Sphenotoma gracile</i> (R.Br.) Sweet	Swamp Paper-heath	1a			20
<i>Sphenotoma squarrosum</i> (Benth.) F. Muell.		2a			14
<i>Stirlingia latifolia</i> (R.Br.) Steud.	Blueboy	1a			1
<i>Stirlingia tenuifolia</i> (R.Br.) Steud.		1a			20
<i>Stylidium amoenum</i> R.Br.	Lovely Triggerplant	2a			12
<i>Stylidium junceum</i> R.Br.	Reed Triggerplant	2a			12
<i>Stylidium schoenoides</i> DC.	Cow Kicks	1a			12
<i>Stylidium spathulatum</i> R.Br.	Creamy Triggerplant	1b			6
<i>Styphelia tenuiflora</i> Lindl.	Common Pinheath	1b			1, 13, 15
<i>Synaphea petiolaris</i> R.Br.	Synaphea	1a			1
<i>Synaphea polymorpha</i> R.Br.	Albany Synaphea	1a			20
<i>Tetrarrhena laevis</i> R.Br.	Forest Ricegrass	1a			13
<i>Tetradlea hirsuta</i> Lindl.	Blackeyed Susan	2b			12
<i>Tetradlea pilosa</i> Labill.		1b			9
<i>Tetradlea setigera</i> Endl.		1a			20
<i>Thomasia grandifolia</i> Lindl.	Large Flowered Thomasia	2b			7
<i>Thyryptomene saxicola</i> (Hook.) Schauer	Rock Thyryptomene	1a			7
<i>Thysanotus thyrsoides</i> Baker		1a			13
<i>Tremandra stelligera</i> DC.		1a			1
<i>Trymalium ledifolium</i> Fenzl.		1b			3, 14
<i>Verticordia densifolia</i> Lindl.	Compacted Featherflower	1b		A	4, 7, 14
<i>Verticordia huegelii</i> Endl.	Varigated Featherflower	2b		A	7, 14
<i>Verticordia nitens</i> (Lindl.) Endl.	Morrison Featherflower	1a		A	1, 7
<i>Xanthorrhoea nana</i> D.A. Herb	Dwarf Grasstree	1a			1
<i>Xanthorrhoea brevistyla</i> D.A. Herb		1a			20
<i>Xanthorrhoea drummondii</i> Harv.		1a			1
<i>Xanthorrhoea gracilis</i> Endl.	Graceful Grasstree	1b			1, 3, 7, 13, 14, 15
<i>Xanthorrhoea platyphylla</i> D.J. Bedford		1a			20
<i>Xanthorrhoea preissii</i> Endl. Grasstree		1b		A	1, 3, 7, 13, 14, 16
<i>Xylomelum angustifolium</i> Kippist & Meisn.	Sandplain Woody Pear	1a			1
<i>Xylomelum occidentale</i> R. Br.	Woody Pear	1a			1, 7

## References used to Compile Lists of Western Australian Natives Susceptible and Resistant to *Phytophthora cinnamomi*.

Compiled by E. Groves, G. Hardy & J. McComb, Murdoch University

### REFERENCES:

1. Alcoa of Australia (2002). Indicators of *P. cinnamomi* used by Interpreters. Environment Research Bulletin.
2. Cho, J. J. (1983). Variability in susceptibility of some *Banksia* Species to *Phytophthora cinnamomi* and their distribution in Australia. *Plant Disease*, 67; 869-871.
3. Edmiston, R. J. (1989). Plants Resistant to Dieback. Department of Conservation and Land Management. 1-89.
4. Environment Australia. (2001). Threat Abatement Plan for Dieback caused by the root-rot fungus *Phytophthora cinnamomi*.
5. Gardner, J. H. & Rokich, P. A. (1987). *Phytophthora cinnamomi* in operational and rehabilitated bauxite mine area in South-western Australia. Alcoa of Australia Environment Research Bulletin.13.
6. Hart, R. (1983). Report on Dieback due to *Phytophthora cinnamomi* in Two People's Bay Nature Reserve. Department of Fisheries and Wildlife.
7. Hill. (1990). Dieback Diseases and other *Phytophthora* spp. in the Northern Kwongon. In *Nature, Conservation, Landscape and Recreational Values of the Lesueur Area. A report to the Environmental Protection Authority from the Department of Conservation and Land Management*. eds. A. Burbidge, S.D. Hopper & S. van Leeuwen, EPA. WA.
8. Keighery, G. (1992). The impact of *Phytophthora* species on rare plants. In *Dieback-What is the Future ?*, M. J. Freeman, R. Hart & M. Ryall, Northern Sandplains Dieback Working Group. Perth, pp. 29-36.
9. Lee, T. C. & Wicks, T. J. (1977). *Phytophthora cinnamomi* in native vegetation in south Australia. *Australasian Plant Pathology Newsletter*, 6; 22-23.
10. Marks, G. C. & Smith, I. W. (1991). *The cinnamon fungus in Victorian forests*. Victorian Government Publications, Melbourne
11. McCredie, T. A., Dixon, K. W. & Sivasithamparam, K. (1985). Variability in the resistance of *Banksia* L.f. species to *Phytophthora cinnamomi*. *Australian Journal of Botany*, 33; 629-637.
12. McDougall, K. L., Hardy, G. E. S. J. & Hobbs, R. J. (2001). Additions to the host range of *Phytophthora cinnamomi* in the jarrah (*Eucalyptus marginata*) forest of Western Australia. *Australian Journal of Botany*, 49; 193-198
13. McDougall, K. L., Hobbs, R. J. & Hardy, G. E. S. J. (2002). Vegetation of *Phytophthora cinnamomi*-infested and adjoining uninfested sited in the northern jarrah (*Eucalyptus marginata*) forest of Western Australia. *Australian Journal of Botany*, 50; 277-288.
14. Podger, F. D. (1972). *Phytophthora cinnamomi*, a cause of lethal disease in indigenous plant communities in Western Australia. *Phytopathology*, 62; 972-981.
15. Shearer, B. L. & Dillon, M. (1996). Susceptibility of plant species in *Banksia* woodlands on the Swan Coastal Plain, Western Australia, to infection by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 44; 433-445.
16. Shearer, B. L. & Dillon, M. (1995). Susceptibility of plant species in *Eucalyptus marginata* forest to infection by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 43; 113-134.
17. Titze, J. F. & Palzer, C. R. (1969). Host list of *Phytophthora cinnamomi* Rands with special reference to Western Australia. Forestry and Timber Bureau, Department of National Development. Technical Note No. 1.
18. Tynan, K. M., Scott, E. S. & Sedgley, M. (1998). Evaluation of *Banksia* species for response to *Phytophthora* infection. *Plant Pathology*, 47; 446-455.
19. Tynan, K. M., Wilkinson, C. J., Holmes, J. M., Dell, B., Colquhoun, I. J., McComb, J. A. & Hardy, G. E. St. J. (2001). The long-term ability of phosphite to control *Phytophthora cinnamomi* in two native plant communities of Western Australia. *Australian Journal of Botany*, 49; 761-770.
20. Wills, R. T. (1993). Unpublished data.

For more information  
please contact your local  
government authority or  
the Dieback Working Group  
Phone: 0438 044 488  
Web: [www.dwg.org.au](http://www.dwg.org.au)

